

ATC10 ATC15 ATC30

Horn Speakers



The Australian Monitor ATC 10, ATC 15 and ATC 30 are constant voltage horn speakers designed for rugged and high performance applications. The tough ABS plastic construction makes them perfect for outdoor or indoor applications.

Each model is supplied with a supervisory capacitor to allow monitoring within an emergency evacuation system.

The ATC 10, 15 and 30 produce amazing SPL, sonics and clarity. The perfect solution for schools, sports grounds and evacuation applications.




Key features include

- 10, 15 and 30 Watts rated RMS power respectively
- Adjustable power tapings on all models including 8 Ohm
- Response from 125Hz to 14KHz
- High SPL output
- 120, 110 and 100 degree dispersion respectively
- IP66 rating on ATC15 and ATC30




ATC10

Rated Power (RMS)	10 W
Power Taps	10W, 5W, 2.5W, 1.25W, 8 Ohm
Sensitivity	106db(1W 1M)
Freq. Range	300 Hz- 8 KHz
Dispersion	120 degree
Weight	1.3 Kg



ATC15

Rated Power (RMS)	15 W
Power Taps	15W, 7.5W, 3.75W, 1.87W, 8 Ohm
Sensitivity	108db(1W 1M)
Freq. Range	125Hz-14 KHz
Dispersion	110 degree
Weight	3.2 Kg
Water Protection	IP66



ATC30

Rated Power (RMS)	30 W
Power Taps	30W,15W, 7.5W, 3.75W, 8 Ohm
Sensitivity	110db(1W 1M)
Freq. Range	125 Hz- 14 KHz
Dispersion	100 degree
Weight	3.5Kg
Water Protection	IP66

